

Revision date: 09/02/2024

SAFETY DATA SHEET

1- Product and company identification		
Product name	VALEO PROTECT ULTRA INORGANIC DILUTED ADDITIVE	
1.2 Other ways of identification		
Product code	VA820662	
1.3 Recommended uses of th	e chemical and restrictions on use	
Recommended use	Ready-made inorganic solution for automotive cooling systems	
1.4 Company identification		
Company name	VALEO AUTOMOTIVE SYSTEMS LTDA	
Address	AV. Pereira Barreto, 1479 Sala 1501 Andar 15, Baeta Neves São Bernardo do Campo ZIP CODE: 097151-00	
1.5 Emergency telephone number		
SAC	(11) 4393-3325 / Fax: (11) 4393-3330	
Emergency phone	0800 11 8270 - ABQUIM (Emergency Support Center), for leaks, spills and other accidents requiring emergency support.	
Website	www.valeoservice.com	

2 - Hazard identification		
2.1 Classification of the subst	2.1 Classification of the substance or mixture	
Classification according to GHS BR (ABNT NBR 14725 : 2023)	Acute toxicity (Oral), Category 4 Specific target organ toxicity - Repeated exposure, Category 2	
2.2 Appropriate labeling elem	2.2 Appropriate labeling elements	
GHS BR labeling		
Danger pictograms (GHS BR)		
Word of warning (GHS BR)	ATTENTION	
Danger phrases (GHS BR)	H302 - Harmful if swallowed H373 - May cause damage to organs through prolonged or repeated exposure	



Revision date: 09/02/2024

SAFETY DATA SHEET

Product: VALEO PROTECT ULTRA INORGANIC DILUTED ADDITIVE

Precautionary statements (GHS BR) Prevention	P260 - Do not inhale mists and vapors. P264 - Wash exposed areas thoroughly after handling. P270 - Do not eat, drink or smoke while using this product.	
Emergency Response	P301+P312 - If swallowed: if you feel unwell, contact a toxicological information center or a doctor. P314 - If you feel unwell, seek medical advice. P330 - Rinse mouth.	
Disposition	P501 - Dispose of contents and container in accordance with local regulations.	
2.3 Other hazards that do not result in a classification		
No additional information available		

3.1 Substances not applicable

3.2 Mixtures

Name	Product identification	%	Classification according to GHS BR (ABNT NBR 14725 : 2023)
Ethane-1,2-diol	CAS no.: 107-21-1	≥ 35	Tox. Acute 4 (Oral), H302 STOT RE 2, H373 Per. Aspiration 2, H305
2-ethylhexanoic acid	CAS no.: 111-46-6	< 1,8	Tox. Acute 4 (Oral), H302 STOT RE 2, H373

4 - First-aid measures			
4.1 Description of the necessa	4.1 Description of the necessary first aid measures		
General first aid measures	Seek medical advice immediately.		
First aid measures after inhalation	Remove the person to a ventilated area and keep them at rest in a position that does not hinder breathing.		
First aid measures after skin contact	After contact with skin, immediately remove all contaminated clothing and rinse with plenty of water.		
First aid measures after eye contact	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.		
First aid measures after ingestion	If swallowed, seek medical advice immediately and show this package or the label.		
4.2 Most important symptoms and effects, acute or delayed			



Revision date: 09/02/2024

SAFETY DATA SHEET

Product: VALEO PROTECT ULTRA INORGANIC DILUTED ADDITIVE

Symptoms/effects	May cause damage to organs through repeated or prolonged exposure. Ingestion of a small amount of this material presents some danger to health.
Symptoms/effects in case of inhalation	Although no appropriate data on human or animal health effects is known, this material is expected to be hazardous by inhalation.
Symptoms/effects in case of skin contact	None under normal conditions.
Symptoms/effects in case of eye contact	None under normal conditions.
Symptoms/effects in case of ingestion	Harmful if swallowed. Ingestion may cause nausea and vomiting.
4.3 Indications of immediate medical attention and special treatments required, if necessary	
Notes to the doctor	Treat symptomatically

5 - Fire-fighting measures		
5.1 Means of extinction		
Suitable extinguishing media	Water spray, dry chemical powder, foam for use on hydrocarbons, carbon dioxide (CO2).	
Inadequate extinguishing media	Do not use a strong jet of water.	
5.2 Specific hazards arising from the substance or mixture		
Danger of fire	In the event of a fire and/or explosion, do not breathe the fumes.	
Danger of explosion	No direct danger of explosion.	
5.3 Special protective measures for the firefighting team		
Firefighting instructions	Fight the fire taking normal precautions at a reasonable distance. Do not enter the fire area without suitable protective equipment, including respiratory protection.	
Protection during firefighting	Use self-contained breathing equipment with positive pressure and protective clothing against chemical products.	

6 - Control measures for spills or leaks

6.1 Personal precautions, protective equipment and emergency procedures



Revision date: 09/02/2024

SAFETY DATA SHEET

General measures	Contain the leak if it can be done safely. Notify the authorities if the product enters drains or public waters. Absorb the spilled product to prevent material damage.		
6.1.1. for personnel who are n	ot part of the emergency services		
Protective equipment	ective equipment Wear the recommended personal protective equipment.		
Emergency procedures	Leave the area. Only qualified personnel equipped with suitable protective equipment may intervene. Notify the fire department and environmental authorities.		
6.1.2 For emergency service p	ersonnel		
Protective equipment	Equip cleaning staff with adequate protection.		
Emergency procedures	Evacuate unnecessary personnel. Contain the leak if it can be done safely.		
6.2 Environmental precaution	is		
Do not allow to enter drains or or public waters.	watercourses. Notify the authorities if the product enters drains.		
6.3 Containment and cleaning	g methods and materials		
For containment	Absorb spilled material with sand or earth. Contain any spillage with barriers or absorbent materials to prevent migration and entry into drains or streams. Stop the leak, if possible without risk.		
Cleaning methods	Clean contaminated surfaces with plenty of water. Absorb the spilled product in order to avoid material damage.		

7 - Handling and storage		
7.1 Precautions for safe handling		
Additional dangers when processed	It is not expected to present a significant hazard under normal operating conditions. use.	
Precautions for safe handling	Do not eat, drink or smoke while using this product. When heated, the material emits highly irritating vapors that affect the eyes. Store only in the original container. Do not handle the product until you have read and understood all the safety precautions.	
Hygiene measures	Always wash your hands after handling the product. Remove contaminated clothing. Do not eat, drink or smoke while using this product.	
7.2 Conditions for safe storage, including any incompatibilities		



Revision date: 09/02/2024

SAFETY DATA SHEET

Technical measures	Store under lock and key.	
Storage conditions	Keep in a cool place. Keep away from sunlight.	
Packaging materials	Always store the product in a container made of the same material as the original container.	

8 - Exposure control and per	8 - Exposure control and personal protection		
8.1. Control parameters			
Ethane-1,2-diol (107-21-1)	Ethane-1,2-diol (107-21-1)		
USA - ACGIH - Occupational exposure limits			
Local name	Ethylene Glycol - CAS# 107-21-1		
ACGIH OEL TWA	100 mg/m³		
ACGIH OEL TWA [ppm]	25 ppm (V - Vapor fraction		
ACGIH OEL STEL	10 mg/m^3		
ACGIH OEL STEL [ppm]	50 ppm		
Observation (ACGIH)	URT irr; A4		
Regulatory reference	(aerosol only)		
Exposure limit for mists/aero	osols that may form when using this product:		
8.2 Engineering control meas	eures		
Appropriate engineering controls	Ensure good ventilation in the workplace.		
8.3 Individual protection mea	asures		
Personal protective equipment:			
Wear the recommended person	al protective equipment.		
Hand protection:			
Protective gloves.			
Eye protection:			
Wear airtight safety glasses			
Protection for skin and body:			
Wear waterproof rubber safety shoes			
Respiratory protection:			



Revision date: 09/02/2024

SAFETY DATA SHEET

Product: VALEO PROTECT ULTRA INORGANIC DILUTED ADDITIVE

Respiratory protection:

The use of respiratory protection equipment is recommended in cases where inhalation may occur during use.

Personal protective equipment symbol(s):



9 - Physical and chemical properties		
9.1 Information on basic phys	9.1 Information on basic physical and chemical properties	
Physical state	Liquid	
Appearance	Liquid.	
Color	Blue, Vede	
Odor	Lightweight	
Odor cleaning	Not available	
pH	9,5	
Melting point	Not available	
Freezing point	≤-18°C.	
Boiling point	>108 °C	
Flash point	Not available.	
Relative evaporation rate (butyl acetate = 1)	Not available.	
Flammability	Not available.	
Explosion limits	Not available.	
Vapor pressure	< 0.1 mm Hg (20°C)	
Relative vapor density at 20°C	2,1	
Relative density	1,050 (20/4°C)	
Density	1,050 kg/l	
Solubility	Water: Full	



Revision date: 09/02/2024

SAFETY DATA SHEET

Partition coefficient n-octanol/water (Log Kow)	Not available.
Auto-ignition temperature	Not available
Decomposition temperature	Not available.
Kinematic viscosity (40°C)	Not available.
Viscosity, dynamics	Not available.
9.2 Other information	
No additional information available	

10- Stability and reactivity	
10.1 Reactivity	The product is not reactive under normal conditions of use, storage and transportation.
10.2 Chemical stability	Stable under normal conditions of use.
10.3 Possibility of dangerous reactions	None, under normal conditions of use.
10.4 Conditions to avoid	Extremely high or low temperatures. Keep away from heat, sparks, open flames, hot surfaces Do not smoke.
10.5 Incompatible materials	Strong acids, Strong bases, Oxidizing agents.
10.6 Hazardous decomposition products	At room temperature, there are no known dangerous decomposition products.
10.7 Handling temperature	No additional information available

11- Toxicological information		
11.1 Information on toxicological effects		
a.Acute toxicity		
(oral)	Harmful if swallowed.	
(dermal)	Not available.	
(inhalation)	Not available	
VALEO PROTECT ULTRA INORGANIC DILUTED ADDITIVE		
ETA BR (oral)	500 mg/kg body weight	
Ethane-1,2-diol (107-21-1)		
Oral LD50, rat	4000 mg/kg	



Revision date: 09/02/2024

SAFETY DATA SHEET

Dermal LD50, rat	9530 μl/kg	
Ethane-1,2-diol (107-21-1))		
ETA BR (oral)	500 mg/kg body weight	
ETA BR (cutaneous)	9530 mg/kg body weight	
2,2'-oxydiethanol (111-46-6)		
Dermal LD50, rabbit	11890 mg/kg	
ETA BR (oral)	500 mg/kg body weight	
ETA BR (cutaneous)	11890 mg/kg body weight	
Corrosion/skin irritation	Not available. pH: 9.5	
Serious eye damage/eye irritation	Not available. pH: 9.5	
Respiratory or skin sensitization	Not available.	
Germ cell mutagenicity	No	
Carcinogenicity	Not available	
Ethane-1,2-diol (107-21-1)		
NOAEL (chronic, oral, animal/male, 2 years)	1500 mg/kg body weight Animal: mouse, Animal sex: male, Remarks on results: other:Effect type: carcinogenicity (migrated information)	
Reproductive toxicity	Not available.	
Toxicity to target organs specific - Single exposure	Not available	
Toxicity to target organs specific Repeated exposure	May cause damage to organs through repeated or prolonged exposure.	
Ethane-1,2-diol (107-21-1)		
Specific target organ toxicity - Repeated exposure	May cause damage to organs through repeated or prolonged exposure	
2,2'-oxydiethanol (111-46-6)		



Revision date: 09/02/2024

SAFETY DATA SHEET

Specific target organ toxicity - Repeated exposure	May cause damage to organs through repeated or prolonged exposure.
Danger from aspiration	Not available.
Ethane-1,2-diol (107-21-1)	
Kinematic viscosity (40°C)	14.505 mm ² /s
11.2 Most important sympton	ns and effects, acute or delayed
Symptoms/effects	May cause damage to organs through repeated or prolonged exposure. Ingestion of a small amount of this material presents some danger to health.
Symptoms/effects in case of inhalation	Although no appropriate data on human or animal health effects is known, this material is expected to be hazardous by inhalation.
Symptoms/effects in case of skin contact	None under normal conditions.
Symptoms/effects in case of eye contact	None under normal conditions.
Symptoms/effects in case of ingestion	Harmful if swallowed. Ingestion may cause nausea and vomiting.
VALEO PROTECT ULTRA INORGANIC DILUTED ADDITIVE	
CL50 - Fish [1]	51000 mg/l Pimephales promelas

12 - Ecological information	
12.1 Ecotoxicity	
Hazardous to the aquatic environment, acute	Not available.
Dangerous to the aquatic environment, chronic	Not available.
Ethane-1,2-diol (107-21-1)	
CL50 - Fish [1]	72860 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustaceans [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [2]	6500 - 13000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum).
NOEC (chronic)	≥ 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d'



Revision date: 09/02/2024

SAFETY DATA SHEET

2,2'-oxydiethanol (111-46-6)		
CL50 - Fish [1]	> 500000 ppm (24h; Carassius auratus)	
12.2 Persistence and degrada	12.2 Persistence and degradability	
No additional information available	No additional information available	
12.3 Bioaccumulative potential		
No additional information available		
12.4 Mobility in the soil		
No additional information available		
12.5 Other adverse effects		
Dangerous for the ozone layer	Not available.	

13 - Final disposal considerations	
Regional legislation (waste)	Law No. 12.305, of August 2, 2010 (National Solid Waste Policy).
Waste treatment methods	It must be treated in accordance with local legislation.
Wastewater disposal recommendations	Disposal must be carried out in accordance with official legislation.
Product/packaging disposal recommendations	Disposal must be carried out in accordance with official legislation.
Additional information	Do not reuse empty containers.

14 - Transport information	
14.1 National and international regulations	
Not classified as dangerous for transportation in the various modes, but may be harmful in the event of accident. For more details, please refer to Section 2 of this SDS.	
a. Land (railroads and roads)	Not Regulated for Ground Transportation ANTT No. 5.947/2021 and its updates (National Land Transportation Agency).
b. Waterway (sea, river and lake)	Not Regulated for Marine Transportation according to the IMDG code International Maritime Dangerous Goods Code. Dangerous Goods (IMDG Code); Standard 5 of the DPC (Department of Ports and Coasts of the Ministry of the Navy); ANTAQ (National Waterway Transportation Agency).



Revision date: 09/02/2024

SAFETY DATA SHEET

Product: VALEO PROTECT ULTRA INORGANIC DILUTED ADDITIVE

	Not Regulated for Air Transport Dangerous Goods
c. Air	Regulation (DGR IATA);
	DAC - Civil Aviation Department of the Ministry of Aeronautics.

15 - Information on regulations	
15.1 National regulations	
Local regulations in Brazil	ABNT Standard NBR 14725. Federal Decree No. 10.088, of November 5, 2019 - Consolidates normative acts issued by the Federal Executive Branch that provide for the promulgation of conventions and recommendations of the International Labor Organization - ILO. ratified by the Federative Republic of Brazil. Ordinance No. 2.770, of September 5, 2022 - Approves the new wording of Regulatory Standard No. 26 Federal Decree No. 96.044 of May 18, 1988 - Approves the Regulations for the Road Transport of Dangerous Products Resolution No. 5998, of November 3, 2022 - Updates the Regulations for the Road Transport of Dangerous Products, approves its Complementary Instructions, and makes other provisions.

16 - Other information

No additional information available

This information is based on our current knowledge and is intended to describe the product solely with a view to health, safety and environmental requirements. It should therefore not be interpreted as a guarantee of any specific product property.